



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/694,334	10/27/2003	Steven Kim	PA2009 DIV2	3840

7590 05/22/2006
Medtronic Vascular, Inc.
IP Legal Department
3576 Unocal Place
Santa Rosa, CA 95403

EXAMINER

ISABELLA, DAVID J

ART UNIT PAPER NUMBER

3738

DATE MAILED: 05/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO. e
---------------------------------	-------------	---	--

EXAMINER

ART UNIT	PAPER
----------	-------

20060514

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See attached paper.

Response to Amendment

The reply filed on 2/13/2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): applicant's election of species was not fully responsive.

The response should have elected one of the species as set forth in the group of surgical device. In response to the Office Action mailed January 10, 2006, applicant inadvertently elected to prosecute all the species of the surgical group including Figures 1a, 1c, 1b, 1d, 2, 2a, 2b, 2c, 2d, 3, 6a; and 6b.


See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID J. ISABELLA whose telephone number is 571-272-4749. The examiner can normally be reached on MONDAY-FRIDAY.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, CORRINE MCDERMOTT can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



DAVID J ISABELLA
Primary Examiner
Art Unit 3738

DJI
5/15/2006